


LAMP PHOTOMETRIC REPORT

MODEL: 95Livia90/WH		
POWER: 6W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

TOTAL FLUX: 424.63 lm



$\gamma$	C0	C45	C90	C135	C180	C225	C270	C315	$\gamma$	$\Phi$ zone	$\Phi$ total	%
10	351.2	362.3	373.4	375.8	378.0	374.9	364.2	353.2	0- 10	37.28	37.28	8.78
20	251.7	262.1	272.0	278.1	279.0	273.1	261.0	250.0	10- 20	88.51	125.8	29.6
30	166.9	176.8	180.2	183.7	187.4	180.3	168.6	162.9	20- 30	100.2	226.0	53.2
40	102.2	111.1	114.5	114.7	114.5	111.7	105.9	99.73	30- 40	87.73	313.7	73.9
50	58.18	64.74	67.99	65.71	64.27	64.69	62.40	57.38	40- 50	65.15	378.8	89.2
60	29.94	33.79	35.73	33.66	32.38	32.94	32.50	29.72	50- 60	41.87	420.7	99.1
70	0	0	0	0	0	0	0	0	60- 70	3.913	424.6	100
80	0	0	0	0	0	0	0	0	70- 80	0	424.6	100
90	0	0	0	0	0	0	0	0	80- 90	0	424.6	100
100									90-100			
110									100-110			
120									110-120			
130									120-130			
140									130-140			
150									140-150			
160									150-160			
170									160-170			
180									170-180			
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG  
C Interval: 10.0DEG  
Test Speed: HIGH  
Temperature:25.3°C  
Operators:  
Test Date:19 December 2022

$\gamma$  Range: 0 - 60DEG  
 $\gamma$  Interval: 2.5DEG  
Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.456  
Humidity:65.0%  
Test Distance:6.265m [K=1.0000]  
Remarks:

```

γ Range: 0 - 60DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```

```

γ Range: 0 - 60DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```